		Application No.	Applicant(s)	
		10/619,458	SHIMOSAKA ET AL.	
	Notice of Allowability	Examiner	Art Unit	
•	•	Karl E. Group	1755	
•	The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
	1. This communication is responsive to the filing of 7-16-03.			
	2. The allowed claim(s) is/are 1-8.			
• .	. 🔀 The drawings filed on <u>16 July 2003</u> are accepted by the Examiner.			
	 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 			
	2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
	International Bureau (PCT Rule 17.2(a)).			
	* Certified copies not received:			
	Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
	5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
	 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 			
• •	Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
	7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
5	V			
	Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application (PTO-152)	
	2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Date		
	3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4-12-04,2-9-04	•		
	4. Examiner's Comment Regarding Requirement for Deposit	<u> </u>	nt of Reasons for Allowance	
	of Biological Material	9.		
		•		
;	U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Notice of Allowability Part of Paper No./Mail Date 20050309			
	•		•	
4				

Application/Control Number: 10/619,458

Art Unit: 1755

1. The following is an examiner's statement of reasons for allowance: The search report of October 10, 2003 has been considered in its entirety however the references are not considered to teach or fairly suggest the claimed invention. It is noted that the instant claims require crystalline phases in addition to a filler in the glass substrate. Lapp (5,459,109) teaches glass substrates however is silent as to any filler or crystallized phases being present. EP 729922, equivalent to Kohli et al (5,741,746) teaches a glass substrate however fails to teach a filler and crystalline phases. Japanese document 11-135899 teaches a glass ceramic material (crystalline phases) with a filler material however the boron oxide content of the glass is 4-7 wt% while the instant claims are limited to no greater than 2 wt%. Pinckney (6,248,678 and 5,968,857) teach glass ceramic substrates however fail to teach a filler material and have thermal expansions outside the claimed range.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl E. Group whose telephone number is 571-272-1368. The examiner can normally be reached on M-F (6:30-4:00) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo can be reached on 571-272-1233. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1755

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner Art Unit 1755

Keg 3-9-05